

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD

CENTRAL VALLEY REGION

11020 Sun Center Drive #200, Rancho Cordova, California 95670

**PUBLIC HEARING**

concerning

CONSIDERATION OF AMENDMENT TO WASTE DISCHARGE REQUIREMENTS

(National Pollutant Discharge Elimination System)

for

**CITY OF MANTECA**

**WASTEWATER QUALITY CONTROL FACILITY**

**SAN JOAQUIN COUNTY**

On 19 March 2004, the Regional Water Quality Control Board adopted Waste Discharge Requirements Order No. R5-2004-0028, NPDES No. CA0081558, prescribing waste discharge requirements for the City of Manteca Wastewater Quality Control Facility (WQCF). Due to significant changes in facility operations and biosolids disposal practices at the WQCF, the City of Manteca has provided new information to the Regional Board and has requested modifications to the effluent limitations for bromodichloromethane and dibromochloromethane, and modifications to Monitoring and Reporting Program (MRP) Order No. R5-2004-0028 for biosolids and effluent oil and grease monitoring. Based on the new information, a resolution is proposed to amend Order No. R5-2004-0028 to address the request.

A **formal** public hearing concerning this matter will be held during the Regional Board meeting which is scheduled for:

DATE: 4/5 August 2005  
TIME: 8:30 am  
PLACE: Central Valley Regional Water Quality Control Board  
11020 Sun Center Drive #200  
Rancho Cordova, California 95670

The designated parties for this hearing are as follows:

- Staff of Central Valley Regional Board
- City of Manteca Staff
- Persons directly affected by the discharge

Only designated parties will have these rights: to call and examine witnesses; to introduce exhibits; to cross-examine opposing witnesses; to impeach any witness; and to rebut the evidence against him or her. All other persons wishing to testify or provide comments are interested persons and not designated parties. Such interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing to the Board no later than **18 July 2005**. The request must explain the basis for status as a designated party and in particular how the person is directly affected by the discharge.

The proposed Resolution amending Waste Discharge Requirements Order No. R5-2004-0028 was issued on **17 June 2005**. Persons wishing to comment on this noticed

NOTICE OF PUBLIC HEARING  
CITY OF MANTECA  
WASTEWATER QUALITY CONTROL FACILITY  
SAN JOAQUIN COUNTY

-2-

hearing item must submit testimony, evidence, if any, and/or comments in writing to the Regional Board no later than **18 July 2005**. Written evidence or comments submitted after **18 July 2005** will not be accepted and will not be incorporated into the administrative record if doing so would prejudice any party.

All designated parties and interested persons may speak at the Regional Board meeting, and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Board Chair

Anyone having questions on the proposed Resolution should contact James Marshall at (916) 464-4772. Interested parties may download the proposed Resolution and related documents from the Regional Board's Internet website at <http://www.waterboards.ca.gov/centralvalley/tentative/>. If you do not have Internet access, these documents may be inspected and copied at the Regional Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114 weekdays between 8:00 a.m. and 5:00 p.m. by appointment.

The procedures governing Regional Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and is available upon request. Hearings before the Regional Water Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing [http://www.waterboards.ca.gov/water\\_laws/](http://www.waterboards.ca.gov/water_laws/). Information on meeting and hearing procedures is also available on the Regional Board's website at [http://www.waterboards.ca.gov/centralvalley/board\\_meetings/mtgprocd.html](http://www.waterboards.ca.gov/centralvalley/board_meetings/mtgprocd.html) or by contacting any one of the Board's offices. Questions regarding such procedures should be directed to Ms. Janice Tanaka at (916) 464-4839

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Ms. Janice Tanaka at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

---

KENNETH D. LANDAU, Assistant Executive Officer

17 June 2005